





Seismicity of the Earth 1900–2010

Mexico and Vicinity

Compiled by Harley M. Benz,¹ Richard, L. Dart,¹ Antonio Villaseñor,² Gavin P. Hayes,¹ Arthur C. Tarr,¹ Kevin P. Furlong,³ and Susan Rhea¹

¹U.S. Geological Survey
²Institute of Earth Sciences, CSIC, Barcelona, Spain
³Department of Geosciences, Pennsylvania State University, State College, PA 16802 USA

2011



This and other USGS information products are available at <http://store.usgs.gov/>.
U.S. Geological Survey
Box 25286, Denver Federal Center
Denver, CO 80225

To learn about the USGS and its information products visit <http://www.usgs.gov/>.
1-888-ASK-USGS

This report is available at <http://pubs.usgs.gov/of/2010/1083/>

For more information concerning this publication, contact:
Center Director, USGS Geologic Hazards Science Center
Box 25046, Mail Stop 966
Denver, CO 80225
(303) 273-8579

Or visit Geologic Hazards Science Center Web site at <http://geohazards.cr.usgs.gov/>

Any use of trade, product or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this information product, for the most part, is in the public domain, it also contains copyrighted materials as noted in the text. Permission to reproduce copyrighted items for other than personal use must be secured from the copyright owner.

Suggested citation:
Benz, H.M., Dart, R.L., Villaseñor, Antonio, Hayes, G.P., Tarr, A.C., Furlong, K.P., and Rhea, Susan, 2011, Seismicity of the Earth 1900–2010 Mexico and vicinity, U.S. Geological Survey Open-File Report 2010–1083-F, scale 1:8,000,000.

TECTONIC SUMMARY

Located atop three of the large tectonic plates, Mexico is one of the world's most seismologically active regions. The relative motion of these crustal plates causes frequent earthquakes and occasional volcanic eruptions.

Most of the Mexican landmass is on the westward moving North America plate. The Pacific Ocean floor south of Mexico is being carried northeastward by the underlying Cocos plate. Because oceanic crust is relatively dense, when the Pacific Ocean floor encounters the lighter continental crust of the Mexican landmass, the ocean floor is subducted beneath the North America plate creating the deep Middle America trench along Mexico's southern coast. Also as a result of this convergence, the westward moving Mexico landmass is slowed and crumpled creating the mountain ranges of southern Mexico and earthquakes near Mexico's southern coast. As the oceanic crust is pulled downward, it melts; the molten material is then forced upward through weaknesses in the overlying continental crust. This process has created a region of volcanoes across south-central Mexico known as the Cordillera Neovolcánica.

The area west of the Gulf of California, including Mexico's Baja California Peninsula, is moving northwestward with the Pacific plate at about 95 mm per year. Here, the Pacific and North America plates grind past each other creating strike-slip faulting, the southern extension of California's San Andreas fault. In the past, this relative plate motion pulled Baja California away from the coast forming the Gulf of California and is the cause of earthquakes in the Gulf of California region today.

Mexico has a long history of destructive earthquakes and volcanic eruptions. In September 1985, a magnitude 8.1 earthquake killed more than 9,500 people in Mexico City. In southern Mexico, Volcán de Colima and El Chichón erupted in 2005 and 1982, respectively. Parícutin volcano, west of Mexico City, began venting smoke in a cornfield in 1943; a decade later this new volcano had grown to a height of 424 meters. Popocatepetl and Ixtaccihuatl volcanos ("smoking mountain" and "white lady," respectively), southeast of Mexico City, occasionally vent gas that can be clearly seen from the City, a reminder that volcanic activity is ongoing. In 1994 and 2000 Popocatepetl renewed its activity forcing the evacuation of nearby towns, causing seismologists and government officials to be concerned about the effect a large-scale eruption might have on the heavily populated region. Popocatepetl volcano last erupted in 2010.

DATA SOURCES AND MAP DISPLAY

The earthquake locations shown on the main map (left) and on the depth profiles (lower left) are taken from the global 1900–2007 Centennial catalog (Engdahl and Villaseñor, 2002) and a catalog of high-quality depth determinations for the period 1964–2002 (Engdahl, personal comm., 2003).

Major earthquakes (7.5–M=8.2) are labeled with the year of occurrence, while earthquakes (8.0–M=8.2) are labeled with the year of occurrence and also denoted by a white outline (Tarr and others, 2010).

The Seismic Hazard and Relative Plate Motion map (below) shows the generalized seismic hazard (Giardini and others, 1999) and relative plate motion vectors (open arrows with labels; DeMets and others, 1994).

The pre-instrumental seismicity map (upper left) shows approximate locations of events based on macro-seismic reports and field investigations (NOAA National Geophysical Data Center database of significant earthquakes, 2010). These are earthquakes for which deaths were reported.

Base map data sources include GEBCO 2008 shaded relief, Volcanoes of the World dataset (Siebert and Simkin, 2002), plate boundaries (Bird, 2003), and geographic information from Digital Chart of the World (1992) and ESRI (2002). Subduction slab contours are colored and labeled as to depth (Hayes and Wald, 2010).

REFERENCES

- Bird, Peter, 2003, An updated digital model of plate boundaries: *Geochemistry Geophysics Geosystems*, v. 4, no. 3, 52 p.
- DeMets, Charles, Gordon, R.G., Argus, D.F., and Stein, Seth, 1994, Effect of recent revisions to the geomagnetic reversal time scale on estimates of current plate motions: *Geophysical Research Letters*, v. 21, p. 2191–2194.
- Digital Chart of the World, 1992: http://earth-info.nga.mil/publications/specs/printed/89009/89009_DCW.pdf, last accessed Mar. 9, 1996.
- Engdahl, E.R., and Villaseñor, Antonio, 2002, Global seismicity: 1900–1999, in Lee, W.H.K., Kanamori, Hiroo, Jennings, P.C., and Kisslinger, Carl, eds., *International Handbook of Earthquake and Engineering Seismology*: San Diego, Calif., Academic Press, v. 81(A), Chap. 41, p. 665–690.
- ESRI, 2002, ESRI data and maps: Redlands, Calif., ESRI. Available at <http://www.esri.com/data/data-maps/index.html>.
- GEBCO, 2008, The GEBCO_08_Grid, ver. 20091120, last accessed January 8, 2010 at <http://www.gebco.net/>.
- Giardini, D., Grünthal, G., Shedlock, K., Zhang, P., and Global Seismic Hazards Program, 1999, Global Seismic Hazards Map, last accessed January, 2007 at <http://www.seismo.ethz.ch/GSHAP/>.
- Hayes, Gavin, and Wald, David, 2010, Slab models for subduction zones: U.S. Geological Survey Earthquake Hazards Program, last accessed July 22, 2010 at <http://earthquake.usgs.gov/research/data/slab/>.
- NOAA National Geophysical Data Center, 2010, last accessed March 31, 2010 at <http://www.ngdc.noaa.gov/hazards>.
- Siebert, Lee, and Simkin, Thomas, 2002, Volcanoes of the world—An illustrated catalog of Holocene volcanoes and their eruptions: Smithsonian Institution, Global Volcanism Program Digital Information series, GVP-3, last accessed January 9, 2007 at <http://www.volcano.si.edu/world/>.
- Tarr, A.C., Villaseñor, Antonio, Furlong, K.P., Rhea, Susan, and Benz, H.M., 2010, Seismicity of the Earth 1900–2007: U.S. Geological Survey Scientific Investigations Map 3064, scale 1:25,000,000.

Seismic Hazard and Relative Plate Motion

