≡USGS
science for a changing world
U.S. Department of the Interior
U.S. Geological Survey

Earthquake Summary Map
prepared in cooperation with
the Global Seismographic Network

GSN

Epicentral Region

M7.1 Mexico Earthquake of 19 September 2017

19 September 2017 18:14:39 UTC

18.584, -98.399
Depth 51.0 km
M = 7.1

Morelia

Mexico City

Toluca

Puebla

Cuernavaca

Veracruz

Mexico

Acapulco

Golfo de Tehuantepec

Explanation

Main Shock
★

Aftershocks
●

Plate Boundaries
⏢ Subduction
— Transform
— Divergent
--- Others

Slab Contour Depth (km)
— <= 20
— 40 - 140
— 160 - 200
— > 200

Earthquake Magnitude
○ 5.5 - 6.6
○ 6.5 - 7.5
○ 7.5 +

Earthquake Depth (km)
● 0 - 69
● 70 - 299
● ≥ 300

Moment Tensor
(290, 44, -82)
P
T

0 25 50   100   150   200
Kilometers

Tectonic Summary

The September 19, 2017, M 7.1 earthquake in Central Mexico occurred as the result of normal faulting at a depth of approximately 50 km. The event is near, but not directly on, the plate boundary between the Cocos and North America plates in the region. At the location of this event, the Cocos plate converges with North America at a rate of approximately 76 mm/yr, in a northeast direction. The Cocos plate begins its subduction beneath Central America at the Middle America Trench, about 300 km to the southwest of this earthquake. The location, depth, and normal-faulting mechanism of this earthquake indicate that it is likely an intraplate event, within the subducting Cocos slab, rather than on the shallower megathrust plate boundary interface.

While commonly plotted as points on maps, earthquakes of this size are more appropriately described as slip over a larger fault area. Normal-faulting events of the size of the September 19th, 2017 earthquake are typically about 50x20 km (length x width).

Over the preceding century, the region within 250 km of the hypocenter of the September 19th, 2017 earthquake has experienced 19 other M 6.5+ earthquakes. Most occurred near the subduction zone interface at the Pacific coast, to the south of the September 19 event. The largest was a M 7.6 earthquake in July 1957, in the Guerrero region, which caused between to 50-160 fatalities, and many more injuries. In June 1999, a M 7.0 at 70 km depth, just to the southeast of the September 19, 2017 earthquake, caused 14 fatalities, around 200 injuries, and considerable damage in the city of Puebla (MMI VIII).

Today is the anniversary of the devastating 1985 M 8.0 Michoacan earthquake, which caused extensive damage to Mexico City and the surrounding region. That event occurred as the result of thrust faulting on the plate interface between the Cocos and North America plates, about 450 km to the west of the September 19, 2017 earthquake. Today's earthquake also occurs 12 days after a M 8.1 earthquake offshore of Chiapas, in southern Mexico. The epicenter of the M 8.1 event is located about 650 km to the southeast of today's quake. That earthquake also occurred as the result of normal faulting within the subducting Cocos Plate, at a depth of 50-70 km.

Did You Feel It?

Did You Feel It? (CDI)
	< 2.0
	2.0 - 3.0
	3.0 - 4.0
	4.0 - 5.0
	5.0 - 6.0
	6.0 - 7.0
	7.0 - 8.0
	8.0 - 9.0
	> 9.0

ShakeMap

USGS ShakeMap : PUEBLA, MEXICO
Sep 19, 2017 18:14:39 UTC M 7.1 N18.58 W98.40 Depth: 51.0km ID:us2000ar20

PAGER

≡USGS
science for a changing world

Earthquake Shaking ●
Orange Alert ●

ANSS USAID FROM THE AMERICAN PEOPLE

PAGER
Version 1

M 7.1, 5km ENE of Raboso, Mexico
Origin Time: 2017-09-19 18:14:39 UTC (Tue 13:14:39 local)
Location: 18.5838 N 98.3993 W Depth: 51.0 km

Created: 44 minutes, 49 seconds after earthquake

Estimated Fatalities — Orange alert for shaking-related fatalities and economic losses. Significant casualties and damage are likely and the disaster is potentially widespread. Past orange alerts have required a regional or national level response.

Estimated Economic Losses — Estimated economic losses are less than 1% of GDP of Mexico.

Estimated Population Exposed to Earthquake Shaking

ESTIMATED POPULATION EXPOSURE (k=x1000)	—*	28,309k	21,138k	20,496k	8,319k	1,412k	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

*Estimated exposure only includes population within the map area.

Population Exposure

Structures
Overall, the population in this region resides in structures that are a mix of vulnerable and earthquake resistant construction. The predominant vulnerable building types are adobe block with concrete bond beam and mud wall construction.

Historical Earthquakes

Date (UTC)	Dist. (km)	Mag.	Max MMI(#)	Shaking Deaths
1999-12-29	323	5.9	VI(29k)	0
1980-10-24	48	7.1	VIII(1k)	65
1973-08-28	193	7.2	VIII(47k)	600

Recent earthquakes in this area have caused secondary hazards such as tsunamis and landslides that might have contributed to losses.

Selected City Exposure

MMI	City	Population
VII	Ayutla	7k
VII	San Juan Colon	1k
VII	Zolonquapa	1k
VII	Izucar de Matamoros	43k
VII	Tilapa	< 1k
VII	Tepecjuma	5k
VII	Puebla	1,590k
V	Mexico City	12,294k
III	San Luis Potosi	678k
II	Aguascalientes	658k
II	Guadalajara	1,641k

bold cities appear on map. (k=x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.
https://earthquake.usgs.gov/earthquakes/eventpage/us2000ar20/pager
Event ID: us2000ar20

Seismic Hazard

United States
Texas

Mexico

Epicentral Region

Seismic Hazard (m/s²)
	.2
	.4
	.8
	1.6
	2.4
	3.2
	4.0
	4.8
	9.8

Seismic hazard is expressed as peak ground acceleration (PGA) on firm rock, in m/s², expected to be exceeded in a 50-yr period with a probability of 10 percent.

0 100 200   400   600   800
Kilometers

DATA SOURCES

EARTHQUAKES AND SEISMIC HAZARD
USGS, National Earthquake Information Center
NOAA, National Geophysical Data Center
IASPEI, Centennial Catalog (1900 - 1999) and extensions (Engdahl and Villasenor, 2002)
EHB catalog (Engdahl et al., 1998)
HDF (unpublished earthquake catalog, Engdahl, 2003)
Global Seismic Hazard Assessment Program
Volcanoes of the World (Siebert and Simkin, 2002)

PLATE TECTONICS AND FAULT MODEL
PB2002 (Bird, 2003)
J., C., D.J. Wald, and D.V. Helmberger, Source description of the 1999 Hector Mine, California earthquake; Part I: Wavelet domain inversion theory and resolution analysis, Bull. Seism. Soc. Am., Vol 92, No. 4, pp. 1192-1207, 2002.
DeMets, C., Gordon, R.G., Argus, D.F., 2010. Geologically current plate motions. Geophys. J. Int. 181, 1-80.

BASE MAP
NIMA and ESRI, Digital Chart of the World
USGS, EROS Data Center
NOAA GEBCO and GLOBE Elevation Models

REFERENCES

Bird, P., 2003, An updated digital model of plate boundaries: Geochem. Geophys. Geosyst., v. 4, no. 3, pp. 1027-80.

Engdahl, E.R., and Villasenor, A., 2002, Global Seismicity: 1900-1999, chap. 41 of Lee, W.H.K., and others, eds., International Earthquake and Engineering Seismology, Part A: New York, N.Y., Elsevier Academic Press, 932 p.

Engdahl, E.R., Van der Hilst, R.D., and Buland, R.P., 1998, Global teleseismic earthquake relocation with improved travel times and procedures for depth determination; Bull. Seism. Soc. Amer., v. 88, p. 722-743.